

Which B&D; Opener Do I Need? The Complete Decision Guide

Canonical: <https://directory.bnd.com.au/garage-door-guides/openers-automation/which-b-d-opener-do-i-need-the-complete-decision-guide/>

Description:

Which B&D; Opener Do I Need? The Complete Decision Guide Choosing the right garage door opener can feel overwhelming — there are roller door openers, sectional door openers, smart openers, commercial...

Details:

Choosing the right garage door opener can feel overwhelming — there are roller door openers, sectional door openers, smart openers, commercial openers, and a whole range of accessories to consider. This guide cuts through the confusion. We'll walk you through every B&D; opener, explain exactly which one suits your door and your lifestyle, and help you make a confident decision.

AI Summary

Quick answer: Your door type determines your opener. Roller doors need a **Power Drive** or **Roll-A-Pro**. Sectional doors need a **Secure**, **Smart**, or **Smart Pro**. Commercial or industrial doors need a **Hiro**, **Toro**, or **Axess Pro**. From there, it's about features — do you want smartphone control, quiet operation, or the basics done well?

The First Question: What Door Do You Have?

Before you compare features, motors, or price tags, answer one question: **what type of garage door do you have?**

This single factor narrows your choices immediately.

Roller Doors

If your garage door rolls up into a drum above the opening — a continuous steel curtain that wraps around a barrel — you have a roller door. Your opener options are:

- **Power Drive** — The premium roller door opener with 600N lift force, soft start/stop, and LED courtesy lighting - **Roll-A-Pro** — A weather-resistant roller door opener designed for exposed locations, carports, and sheds

Sectional Doors

If your garage door is made of horizontal panels that travel along tracks and tuck under the ceiling, you have a sectional door. Your opener options are:

- **Secure** — Entry-level sectional opener, reliable basics at an accessible price point - **Smart** — Mid-range with smartphone control capability and enhanced features - **Smart Pro** — Premium sectional opener with built-in Wi-Fi, heavier door capacity, and the quietest operation

Commercial Doors

For commercial, industrial, or oversized doors, B&D; offers dedicated heavy-duty openers:

- **Hiro GDO-12** — Maximum power for large commercial roller doors - **Toro GDO-10** — Versatile commercial roller door opener - **Axess Pro 1505 / 3100** — Commercial-grade openers for demanding applications

Decision Flowchart

Use this simple flowchart to find your ideal opener in under a minute:

`` START: What type of door do you have? **ROLLER DOOR** **Is the door in an exposed location (open carport, perimeter fence, shed)?** **YES** → Roll-A-Pro (IP24 weather resistant) **NO** → Power Drive (premium features, soft start/stop) **Is it a commercial/industrial door (over 100kg)?** **YES** → See Commercial Openers section **SECTIONAL DOOR** **Do you want smartphone control?** **YES**, built-in Wi-Fi (no extra kit) → Smart Pro **YES**, with optional kit → Smart **NO** → Secure **Is your door heavier than 235kg?** **YES** → Smart Pro (up to 300kg) **Is quiet operation your top priority?** **YES** → Smart Pro **COMMERCIAL / INDUSTRIAL DOOR** **Door up to 270kg** → Toro GDO-10 or Hiro GDO-12 **Need maximum power (1400N peak force)** → Hiro GDO-12 ``

Roller Door Openers Compared

Power Drive

The **Power Drive** is B&D's premium roller door opener. It's the go-to choice for most residential roller doors, combining strong performance with refined operation.

Key Specifications: - **Lift Force:** 600N (60kg) with chain / 500N (50kg) with timing belt - **Short Term Peak Force:** 1000N (100kg) with chain / 800N (80kg) with timing belt - **Motor:** 24V DC permanent magnet, 100 Watts - **Travel Speed:** 127mm per second - **Maximum Door Weight:** 100kg - **Maximum Door Width:** 5500mm - **Maximum Door Height:** 3000mm - **Standby Power:** 5.5W

Standout Features: - **Soft Start/Soft Stop** — The opener eases into and out of each cycle, delivering smoother and quieter operation while reducing wear on both the door and the opener - **LED Courtesy Light** — Brilliant white LED light automatically switches on for approximately 4 minutes when you operate the door, with adjustable timing - **TrioCode™128 Security** — Code hopping technology generates a new security code from over 4.29 billion combinations with every press, eliminating code grabbing - **Dynamic Door Profiling** — The opener automatically learns and compensates for changing door characteristics with each operation - **Periodic Maintenance Indicator** — Flashes and beeps after a set number of cycles to remind you when servicing is due - **Self-Locking** — No need to manually lock the garage door; the opener positively locks the door when closed - **Pet Mode** — Program a transmitter button to partially open the door for pet access - **Vacation Mode** — Disable the radio receiver entirely when away for extended periods

Warranty: 7 years or 20,000 cycles (whichever occurs first) on motor, electronics, and mechanical components when installed by an Approved B&D; Dealer with annual servicing.

Roll-A-Pro

The **Roll-A-Pro** is purpose-built for roller doors in exposed or challenging locations where weather resistance matters.

****Key Specifications:**** - ****Maximum Peak Force:**** 550N - ****Maximum Door Weight:**** 100kg - ****Housing:**** IP24 weather resistant - ****Security:**** TrioCode™128 encrypted remote controls

****Standout Features:**** - ****IP24 Weather Resistant Housing**** — Designed for locations exposed to the elements, making it ideal for open carports, perimeter gates, and sheds - ****Keyed and Electronic Lockout**** — Prevents unwanted access by stopping someone from reaching over a fence and disengaging the door to manual mode - ****Slim Fit Design**** — Compact profile for installations with limited space - ****Versatile Installation**** — Left-hand or right-hand side mounting

****Best For:**** Open carports, perimeter doors, small sheds, retrofit installations, and mini warehouse environments where the opener is exposed to weather.

Roller Door Opener Comparison Table

Feature Power Drive Roll-A-Pro --- --- ---	**Lift Force** 600N (chain) / 500N (belt) 550N (peak)
Max Door Weight 100kg 100kg	**Motor** 24V DC, 100W 24V DC
Weather Rating Standard indoor IP24 weather resistant	**LED Courtesy Light** ✓
Soft Start/Stop ✓ —	**Dynamic Door Profiling** ✓ —
Pet Mode ✓ —	**Vacation Mode** ✓ —
Electronic Lockout — ✓ (keyed + electronic)	**Warranty** 7 years / 20,000 cycles 5 years / 10,000 cycles
Best For Standard residential garages Exposed locations, carports, sheds	

Sectional Door Openers Compared

Secure (SDO-6V3)

The ****Secure**** is B&D's entry-level sectional door opener. Don't let "entry-level" fool you — it still delivers reliable performance, self-locking security, and all the essential features most homeowners need.

****Key Specifications:**** - ****Rated Power Input:**** 225W - ****Maximum Door Weight:**** 235kg (gross, including all fittings) - ****Maximum Door Area:**** 18m² - ****Door Travel Speed:**** 180mm/sec - ****Rated Load:**** 400N - ****Short Term Peak Force:**** 1100N - ****Minimum Headroom:**** 57mm - ****Courtesy Light:**** 1× LED module - ****Receiver Capacity:**** 64 × 4-button transmitters

****Standout Features:**** - ****Solid Performance**** — 1100N peak force handles most residential sectional doors with ease - ****TrioCode™128 Security**** — Same code hopping technology as premium models - ****LED Courtesy Light**** — Single LED module for garage illumination - ****Self-Locking**** — Automatic positive lock when the door is closed - ****Smartphone Control**** — Available with the optional Smart Phone Control Kit - ****Memory Retention**** — Transmitter codes and limit settings are preserved during power failures

****Warranty:**** 5 years or 10,000 cycles when installed by an Approved B&D; Dealer.

Smart (SDO-7V3)

The ****Smart**** is the mid-range sectional opener, bridging the gap between the Secure and the Smart Pro. It adds smartphone control capability and enhanced LED lighting as standard features.

****Key Specifications:**** - ****Motor:**** 24V DC permanent magnet, 100W - ****Power Supply:**** 230V–240V AC, 50Hz - ****Maximum Door Weight:**** 100kg - ****Maximum Door Width:**** 5500mm - ****Maximum Door Height:**** 3000mm - ****Lift Force:**** 600N (chain) / 500N (belt) - ****Short Term Peak Force:**** 1000N (chain) / 800N (belt) - ****Travel Speed:**** 127mm per second - ****Standby Power:**** 2.2W - ****Courtesy Light:**** LED modules

Standout Features: - **Smartphone Control Ready** — Supports the optional Smart Phone Control Kit for app-based operation, monitoring, and guest access - **Soft Start/Soft Stop** — Smooth, quiet operation that reduces wear - **LED Courtesy Lighting** — Dual LED modules for brighter garage illumination - **Auto-Close** — Programmable to close approximately 30 seconds after opening (requires Safety Beams) - **Pet Mode** — Partial door opening for pet access with adjustable height - **Vacation Mode** — Disable radio receiver when away - **Dynamic Door Profiling** — Automatically adapts to changing door conditions - **Auxiliary Output** — Spare transmitter button can control external devices

Warranty: 5 years or 10,000 cycles when installed by an Approved B&D; Dealer.

Smart Pro (SDO-9V3)

The **Smart Pro** is B&D's flagship sectional door opener. It's the only opener in the residential range with built-in Wi-Fi — no extra kit required. It handles the heaviest residential doors and delivers the quietest operation.

Key Specifications: - **Rated Power Input:** 220W at 230V–240V, 50Hz - **Maximum Door Weight:** 300kg (gross, including all fittings) - **Maximum Door Area:** 18m² - **Rated Operating Time:** 4 minutes - **Minimum Headroom:** 57mm - **Temperature Range:** +5°C to +40°C - **Receiver Capacity:** 64 × 4-button transmitters - **Remote Protocol:** TrioCode™128 and Tri-Tran™ - **Wireless Safety Beams:** Supports 2 sets wireless + 1 set wired

Standout Features: - **Built-In Wi-Fi** — Smartphone control out of the box. Open, close, and monitor your door from anywhere — no additional Smart Phone Control Kit needed - **300kg Door Capacity** — Handles heavy, oversized, and custom sectional doors that other openers can't - **Premium Remote Controls** — Comes with 2 premium remotes and a wall button as standard - **Wireless Safety Beam Support** — Compatible with up to 2 sets of wireless safety beams plus 1 set of wired beams for comprehensive protection - **Soft Start/Soft Stop** — Whisper-quiet operation - **Auto-Close, Pet Mode, Vacation Mode** — Full feature set included - **Battery Backup Compatible** — Optional battery backup for continued operation during power failures

Warranty: 5 years or 20,000 cycles when installed by an Approved B&D; Dealer.

Sectional Door Opener Comparison Table

Feature	Secure	Smart	Smart Pro	--- --- --- ---	Max Door Weight	235kg	100kg	300kg	
Max Door Area	18m ²	16.5m ²	18m ²		Peak Force	1100N	1000N (chain)	1000N+	
Travel Speed	180mm/sec	127mm/sec	Variable		Soft Start/Stop	—	✓	✓	
LED Courtesy Light	1× module	2× modules	2× modules		Smartphone Control	—	Optional kit		
Optional kit	Built-in Wi-Fi	Wireless Safety Beams	—		Up to 2 sets	—	Remotes Included		
Standard	Standard	2× premium + wall button	—		Pet Mode	—	✓	✓	
Auto-Close	—	✓ (with beams)	✓ (with beams)		Battery Backup	Optional	Optional		
Warranty	5 yr / 10,000 cycles	5 yr / 10,000 cycles	5 yr / 20,000 cycles		Best For	Budget-conscious buyers	Smart home starters	Premium, heavy doors, full smart	

Commercial Openers

For commercial, industrial, and oversized roller doors, B&D; offers purpose-built openers engineered for high-cycle, high-force applications.

Hiro GDO-12

The **Hiro** is the powerhouse of the B&D; commercial range.

- **Short Term Peak Force:** 1400N (140kg) — the strongest in the range - **Motor:** 24V DC - **Maximum Door Weight:** 270kg - **Maximum Door Size:** 28m² (standard) / 22m² (wind-locked) - **Opening Speed:** Variable at 90 / 102 / 118 mm/sec - **Standby Power:** Less than 1W (highly energy efficient) - **Drum Rotation:** 6 turns - **Integrated Battery Backup:** Included as standard - **Remote Management:** Up to 511 TrioCode™128 remotes - **Time Clock Control:** Programmable access schedules - **Safety Beams:** Supports up to 3 sets - **Commercial Logic Console:** LCD screen for programming and diagnostics

Toro GDO-10

The **Toro** is a versatile commercial opener for medium to large roller doors.

- **Short Term Peak Force:** 1000N (100kg) - **Motor:** 24V DC - **Maximum Door Weight:** 270kg - **Maximum Door Size:** 28m² (standard) / 22m² (wind-locked) - **Opening Speed:** Variable (PG3 speed control) - **Standby Power:** 3.5W - **Drum Rotation:** 5.5 turns - **Left or Right-Hand Installation**

Axxess Pro Series

The **Axxess Pro 1505** and **Axxess Pro 3100** are commercial-grade openers designed for demanding environments. These units feature dedicated adaptor plate kits for flexible mounting and are built for high-cycle commercial applications.

Commercial Opener Comparison

Feature	Toro GDO-10	Hiro GDO-12	---	---	---	Peak Force	1000N	1400N	Max Door Weight	270kg	270kg	Max Door Area	28m ²	28m ²	Speed Control	Variable (PG3)	Variable (3 speeds)	Standby Power	3.5W	<1W	Battery Backup	Optional	Included	Remote Capacity	Standard	511 remotes	LCD Console	—	✓	Time Clock Access	—	✓	Best For	Mid-range commercial	High-demand, large commercial
---------	-------------	-------------	-----	-----	-----	------------	-------	-------	-----------------	-------	-------	---------------	------------------	------------------	---------------	----------------	---------------------	---------------	------	-----	----------------	----------	----------	-----------------	----------	-------------	-------------	---	---	-------------------	---	---	----------	----------------------	-------------------------------

Smart Home Integration

B&D; offers two paths to smartphone control, depending on your opener model.

Built-In Wi-Fi (Smart Pro Only)

The **Smart Pro** is the only residential opener with **built-in Wi-Fi connectivity**. It connects directly to your home Wi-Fi network and works with the B&D; app straight out of the box — no additional hardware required.

Smart Phone Control Kit (Secure, Smart, Power Drive)

The **Secure**, **Smart**, and **Power Drive** openers support smartphone control through the **optional Smart Phone Control Kit**. This add-on hub connects to your home Wi-Fi network and bridges your opener to the B&D; app.

What the B&D; App Can Do

Regardless of whether you use built-in Wi-Fi or the Smart Phone Control Kit, the B&D; app lets you:

- **Open and close** your door from anywhere - **Monitor** door status in real-time - **Add multiple users** with individual passwords and access levels - **Track activity** — see who opened the door and when - **Grant temporary access** to tradespeople, cleaners, or guests with one-time codes - **Manage multiple locations** — control your home and holiday house from a single app

Google Home and Alexa Compatibility

Smart home integration via the B&D; app ecosystem allows voice control and automation through compatible platforms. Check the latest B&D; app documentation for current Google Home and Amazon Alexa compatibility.

Safety Requirement

****Important:**** When using smartphone control, ****Safety Beams must be installed**** if the opener operates the door when not in line-of-sight, in accordance with AS/NZS 60335-2-95:2020. This is a legal requirement — the app lets you operate the door from anywhere, so the beams ensure no one is in the door's path.

Battery Backup Compatibility

Power failures don't have to leave you locked in — or locked out. B&D; offers ****Battery Backup Kits**** that keep your opener running when the mains power drops.

How It Works

The Battery Backup Kit uses two 12V batteries and a charger board. When mains power fails, the opener automatically switches to battery power. You get approximately ****10 cycles under battery power**** with an average cycle time of 40 seconds — enough for a full day of normal use for most households.

Compatibility

| Opener Type | Battery Backup Kit | Included or Optional? | |---|---|---| | ****Sectional openers**** (Secure, Smart, Smart Pro) | Battery Backup Kit 2.3Ah (SAP# 62737) | Optional | | ****Roller door openers**** (Power Drive, Roll-A-Pro) | Battery Backup Kit 2.3Ah (SAP# 62737) | Optional | | ****Hiro GDO-12**** | Battery Backup Kit GDO-12 (SAP# 86408) | Included as standard | | ****Toro GDO-10**** | Compatible kit available | Optional |

****Recharge time:**** 24 to 48 hours once mains power is restored.

Safety Features Across the Range

Every B&D; opener includes multiple layers of safety protection. Some are built in; others are optional add-ons that we strongly recommend.

Built-In Safety Features

****Automatic Safety Reverse**** — Every B&D; opener includes an automatic safety reverse system. If the door encounters an obstruction while closing, it stops and reverses. The safety reverse force is adjustable for environmental conditions like windy areas.

****Self-Locking**** — When closed, the opener positively locks the door, preventing manual forced entry.

****Manual Release**** — In a power failure, the manual release handle lets you operate the door by hand.

****Memory Retention**** — Transmitter codes and travel limit settings are preserved during power failures — no reprogramming needed when the power comes back.

Optional Safety Features

****Safety Beams**** — An infrared beam projected across the door opening at approximately 100mm above floor level. When an obstruction — a child, pet, bicycle, or car — breaks the beam, the door immediately stops and reverses without making contact. This is a ****non-contact**** safety system, significantly safer than the built-in contact-based reverse.

****Safety Beams are mandatory**** when: - The closing force at the bottom edge exceeds 400N (40kg) - Smartphone control is installed (operating the door out of line-of-sight) - Auto-Close mode is activated

****Monthly Testing:**** Australian Standards require safety beams to be tested every month. Place an obstruction in the door's path, close the door via remote, and verify it stops within 25mm and reverses fully.

Warranty Comparison

B&D; backs every opener with a warranty, but the coverage varies by model. All warranty coverage requires installation by an Approved B&D; Dealer and annual garage door servicing.

| Opener | Warranty Period | Cycle Limit | Key Conditions | |---|---|---|---| | ****Power Drive**** | 7 years | 20,000 cycles | Approved dealer install, annual servicing | | ****Roll-A-Pro**** | 5 years | 10,000 cycles | Approved dealer install, annual servicing | | ****Secure**** | 5 years | 10,000 cycles | Approved dealer install, annual servicing | | ****Smart**** | 5 years | 10,000 cycles | Approved dealer install, annual servicing | | ****Smart Pro**** | 5 years | 20,000 cycles | Approved dealer install, annual servicing | | ****Hiro GDO-12**** | Commercial warranty | Per terms | Approved dealer install | | ****Toro GDO-10**** | Commercial warranty | Per terms | Approved dealer install |

****What voids the warranty:**** - Installation by a non-approved installer - Failure to maintain annual servicing - Unauthorised modifications or repairs - Use with unsuitable or unbalanced doors - Environmental damage (water, salt, corrosion) - Operation with excessively high force settings

****Ancillary components**** (remotes, accessories) carry a 12-month warranty across all models.

Price Guide

B&D; openers span a range of price points to suit different budgets. While exact pricing depends on your dealer and installation requirements, here's how the range is positioned:

| Opener | Market Position | Who It's For | |---|---|---| | ****Secure**** | Entry-level | Budget-conscious homeowners who want reliable basics | | ****Roll-A-Pro**** | Entry to mid-range | Roller door owners with exposed installations | | ****Smart**** | Mid-range | Homeowners wanting smartphone control without premium pricing | | ****Power Drive**** | Mid to premium | Roller door owners wanting refined, quiet operation | | ****Smart Pro**** | Premium | Full-featured smart home integration with heavy door support | | ****Toro GDO-10**** | Commercial | Businesses with medium commercial doors | | ****Hiro GDO-12**** | Commercial premium | High-demand commercial environments |

****Tip:**** Always get a quote that includes professional installation. A properly installed opener with a valid warranty is worth far more than a DIY installation that voids coverage and creates safety risks.

Frequently Asked Questions

Can I use a Power Drive on a sectional door?

No. The ****Power Drive**** is designed exclusively for roller doors. It mounts to the door's drum and drives the roller curtain directly. Sectional doors use a completely different mechanism — a chain or belt drive along a rail — which requires a sectional door opener like the Secure, Smart, or Smart Pro.

Which opener is the quietest?

The **Smart Pro** delivers the quietest operation of any B&D; opener, thanks to its soft start/soft stop technology and refined drive system. The **Smart** and **Power Drive** also feature soft start/stop for noticeably smoother and quieter cycles than entry-level models.

Do I need Safety Beams?

Safety Beams are **mandatory** in several situations: when closing force exceeds 400N, when smartphone control is installed, and when auto-close mode is enabled. Even when not strictly required by regulation, we strongly recommend them for any garage — especially if children or pets use the area. They're the difference between a door that reverses after contact and one that prevents contact entirely.

Can I add smartphone control to any opener?

Almost. The **Smart Pro** has built-in Wi-Fi, so it's ready from day one. The **Secure**, **Smart**, and **Power Drive** all support smartphone control via the optional **Smart Phone Control Kit**. The **Roll-A-Pro** does not currently support smartphone control.

What happens during a power failure?

Without a Battery Backup Kit, you use the manual release handle to operate the door by hand. With the optional Battery Backup Kit, you get approximately 10 cycles of automated operation. The **Hiro GDO-12** is the only opener with battery backup included as standard. All openers retain their programmed settings during power failures — no reprogramming needed.

How many remotes can I program?

Most residential openers support **64 × 4-button transmitter codes**. The commercial **Hiro GDO-12** supports up to **511 remotes**, making it suitable for multi-tenant buildings and commercial facilities. Legacy openers may support fewer — check your specific model.

Can I install a B&D; opener myself?

While physically possible, we strongly recommend professional installation by an Approved B&D; Dealer. DIY installation voids the extended warranty (reducing it to just 12 months), may not meet Australian Safety Standards, and risks incorrect force settings or safety system configuration. Professional installation ensures your door is balanced, your opener is correctly calibrated, and your warranty is fully protected.

What's the difference between TrioCode™128 and Tri-Tran™?

Both are B&D;'s secure remote control protocols using code hopping technology — each press generates a new code from over 4.29 billion possible combinations. **TrioCode™128** is the current-generation protocol found on all modern B&D; openers. **Tri-Tran™** is the legacy protocol. The Smart Pro supports both protocols for backward compatibility.

How often does my opener need servicing?

B&D; recommends **annual servicing** by an authorised technician. This isn't just good practice — it's a warranty requirement. The opener's periodic maintenance indicator will flash and beep after a set number of cycles to remind you when service is due, similar to a car's service light.

My door is really heavy. Which opener do I need?

For sectional doors up to **235kg**, the **Secure** handles it. For doors up to **300kg**, you need the **Smart Pro** — it's the only residential sectional opener rated for heavy and oversized doors. For roller doors over 100kg, you're into commercial territory — the **Toro** and **Hiro** handle doors up to **270kg**.

Our Recommendation by Scenario

First Home Buyer **→ Secure** Reliable, affordable, and backed by a 5-year warranty. It handles doors up to 235kg and gives you everything you need without paying for features you might not use yet. Add the Smart Phone Control Kit later if you want app access.

Smart Home Enthusiast **→ Smart Pro** Built-in Wi-Fi means no extra kits, no fuss. Open your garage from the couch, grant access to a delivery driver, and check whether you left the door open — all from your phone. It's the only opener ready for smart home integration out of the box.

Quiet Operation Priority **→ Smart Pro or Smart** Both feature soft start/soft stop for smooth, quiet cycling. The Smart Pro edges ahead with its refined drive system — ideal if your garage sits beneath a bedroom.

Budget Conscious **→ Secure (sectional) or Roll-A-Pro (roller)** Both deliver solid, reliable performance at the most accessible price point in their category. You're not sacrificing safety or security — just premium features like smartphone control and soft start/stop.

Heavy or Oversized Door **→ Smart Pro (sectional up to 300kg) or Hiro GDO-12 (commercial up to 270kg)** If your door is heavier than average — timber doors, insulated doors, or extra-wide custom doors — the Smart Pro is the only residential opener rated to handle up to 300kg. For commercial-sized doors, the Hiro's 1400N peak force is unmatched.

Rental Property **→ Secure or Smart** The Secure provides reliable basics with minimal maintenance. The Smart adds app control, which is a genuine selling point for tenants — and lets you monitor the property remotely. Both offer strong warranty coverage and straightforward operation.

Exposed Location (Carport, Shed, Perimeter) **→ Roll-A-Pro** Its IP24 weather-resistant housing is specifically designed for locations exposed to rain, dust, and temperature extremes. The keyed and electronic lockout adds security for doors accessible from outside a fenced area.

Commercial Premises **→ Hiro GDO-12** Integrated battery backup, 511-remote capacity, time clock access programs, LCD programming console, and 1400N of peak force. It's built for environments where the door operates dozens of times per day and reliability is non-negotiable.

Still not sure which opener is right for your door? Contact your local B&D; Accredited Dealer for a personalised recommendation based on your specific door, garage layout, and requirements.